

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	560	(iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L2	83444	"707"/((103R 103y 103x 103z).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L3	47253	"717"/("116" "118").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L4	19	(iteration iterative repeat loop control) near3 (operator command statement) near3 ((object class component) near3 instance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L5	47253	"717"/("108" "114" "116" "118" "139" "148").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L6	14093	("707"/((103R 103y 103x 103z).ccls.) and ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L7	116604	("707"/((103R 103y 103x 103z).ccls.) or ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L8	62	((iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)) and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L9	5	("20020138820" "6374241" "20010032253" "6178432" "5615362").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L10	1	"20030101433".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45

## EAST Search History

L11	560	(iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L12	83444	"707"/((103R 103y 103x 103z).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L13	47253	"717"/("116" "118").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L14	47253	"717"/("108" "114" "116" "118" "139" "148").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L15	14093	("707"/((103R 103y 103x 103z).ccls. ) and ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L16	116604	("707"/((103R 103y 103x 103z).ccls. ) or ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L17	10	("5603030" "5617569" "6427228" "6314563" "6286135" "5432936" "5999732" "6208994" "5751288" "5339433" ).pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L18	1	"20030101433".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L19	19	(iteration iterative repeat loop control) near3 (operator command statement) near3 ((object class component) near3 instance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L20	62	((iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)) and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L21	5	("20020138820" "6374241" "20010032253" "6178432" "5615362").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45

## EAST Search History

L22	560	(iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L23	83444	"707"/((103R 103y 103x 103z).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L24	47253	"717"/("116" "118").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L25	47253	"717"/("108" "114" "116" "118" "139" "148").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L26	14093	("707"/((103R 103y 103x 103z).ccls. ) and ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L27	116604	("707"/((103R 103y 103x 103z).ccls. ) or ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L28	560	(iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L29	83444	"707"/((103R 103y 103x 103z).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L30	47253	"717"/("116" "118").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L31	47253	"717"/("108" "114" "116" "118" "139" "148").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L32	14093	("707"/((103R 103y 103x 103z).ccls. ) and ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45

## EAST Search History

L33	116604	("707"/(103R 103y 103x 103z).ccls. ) or ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L34	10	("5603030" "5617569" "6427228" "6314563" "6286135" "5432936" "5999732" "6208994" "5751288" "5339433" ).pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L35	1	"20030101433".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L36	1	"20030101433".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L37	19	(iteration iterative repeat loop control) near3 (operator command statement) near3 ((object class component) near3 instance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L38	62	((iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)) and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L39	5	("20020138820" "6374241" "20010032253" "6178432" "5615362").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L40	19	(iteration iterative repeat loop control) near3 (operator command statement) near3 ((object class component) near3 instance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L41	62	((iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)) and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
L42	5	("20020138820" "6374241" "20010032253" "6178432" "5615362").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/09 23:45
S1	453	(iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25

## EAST Search History

S2	75844	"707"/(103R 103y 103x 103z).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25
S3	40772	"717"/("116" "118").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25
S4	17	(iteration iterative repeat loop control) near3 (operator command statement) near3 ((object class component) near3 instance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25
S5	40772	"717"/("108" "114" "116" "118" "139" "148").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25
S6	11196	("707"/(103R 103y 103x 103z).ccls.) and ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25
S7	105420	("707"/(103R 103y 103x 103z).ccls.) or ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25
S8	42	((iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)) and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25
S9	5	("20020138820" "6374241" "20010032253" "6178432" "5615362").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25
S10	1	"20030101433".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 22:25
S24	491	(iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S25	69795	"707"/(103R 103y 103x 103z).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55

## EAST Search History

S26	39513	"717"/("116" "118").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S27	17	(iteration iterative repeat loop control) near3 (operator command statement) near3 ((object class component) near3 instance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S28	39513	"717"/("108" "114" "116" "118" "139" "148").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S29	11489	("707"/(103R 103y 103x 103z).ccls.) and ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S30	97819	("707"/(103R 103y 103x 103z).ccls.) or ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S31	47	((iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)) and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S32	5	("20020138820" "6374241" "20010032253" "6178432" "5615362").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S33	1	"20030101433".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S34	10	("5603030" "5617569" "6427228" "6314563" "6286135" "5432936" "5999732" "6208994" "5751288" "5339433" ).pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/13 14:55
S35	528	(iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S36	77081	"707"/(103R 103y 103x 103z).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31

## EAST Search History

S37	43770	"717"/("116" "118").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S38	18	(iteration iterative repeat loop control) near3 (operator command statement) near3 ((object class component) near3 instance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S39	43770	"717"/("108" "114" "116" "118" "139" "148").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S40	12963	("707"/(103R 103y 103x 103z).ccls.) and ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S41	107888	("707"/(103R 103y 103x 103z).ccls.) or ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S42	56	((iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)) and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S43	5	("20020138820" "6374241" "20010032253" "6178432" "5615362").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S44	1	"20030101433".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S45	528	(iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S46	77081	"707"/(103R 103y 103x 103z).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S47	43770	"717"/("116" "118").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31

## EAST Search History

S48	43770	"717"/("108" "114" "116" "118" "139" "148").ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S49	12963	("707"/("103R 103y 103x 103z).ccls. ) and ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S50	107888	("707"/("103R 103y 103x 103z).ccls. ) or ("717"/("116" "118").ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S51	10	("5603030" "5617569" "6427228" "6314563" "6286135" "5432936" "5999732" "6208994" "5751288" "5339433" ).pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S52	1	"20030101433".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S53	18	(iteration iterative repeat loop control) near3 (operator command statement) near3 ((object class component) near3 instance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S54	56	((iterat\$3 repeat\$3 loop\$3 for adj each increment\$3 decrement\$3) near5 (operator command statement) near5 ((object class component) near3 instance object component class)) and java	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31
S55	5	("20020138820" "6374241" "20010032253" "6178432" "5615362").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/08 18:31